



**BELLISLIMO**

GCR 50 27 22 E31  
EC



SAP Code	304551
Model	BelliSlimo 50
Real Volume	40 L
Height	0.704 m
Width	0.490 m
Depth	0.280 m
Rated power	1200/2200 W
Heating time $\Delta t$ 45K (15 - 60°C)	1:20 h:min
Annual consumption of electricity AEC	1241 kWh
Energy class	B
Load profile	M



V40	80/70 L
T <sub>out of the box</sub>	79 °C
MAX40	80/70 L
Design	Yes



**Electric Water Heater with a slim silhouette of 28 cm in depth, two tanks and two separated copper heating elements.**

COPPER HEATING ELEMENT

WORK ON DEMAND MODE: BelliSlimo thinks for you and calculates by itself the time required for your water to heat up just on time

ENERGY EFFICIENT: In the highest possible in its range - Energy class B

REVERSIBLE: Can be mounted vertically or horizontally

ECO SMART MODE: Self-training and self-management

DOUBLE TANK: Two water tanks with separate heating elements

QUICK FIRST SHOWER

VACATION MODE

BOOST FUNCTION

REVERSE COUNTER: Counts down until the electric water heaters reach the desired temperature

Serie information

GCR 50 27 22 E31 EC

BelliSlimo sets new industry standards with its modern Italian design and latest technologies. With a slim silhouette of 28 cm in depth, two tanks and two separated copper heating elements, it offers a first shower in less than 40 minutes.

- COPPER HEATING ELEMENT
- WORK ON DEMAND MODE: BelliSlimo thinks for you and calculates by itself the time required for your water to heat up just on time
- ENERGY EFFICIENT: In the highest possible in its range - Energy class B
- REVERSIBLE: Can be mounted vertically or horizontally
- ECO SMART MODE: ensures optimum management for low energy consumption obtaining the highest possible in its range Energy Class B
- DOUBLE TANK: Two water tanks with separate heating elements
- QUICK FIRST SHOWER
- VACATION MODE



- BOOST FUNCTION
- REVERSE COUNTER: Counts down until the electric water heaters reaches the desired temperature